RECEIVED
CENTRAL FAX CENTER
JAN 16 2009

Listing of Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-27 (cancelled).

28. (previously presented) A compound of formula (I),



(I)

the pharmaceutically acceptable addition salts and the stereo-chemically isomeric forms thereof, wherein

t is 0, 1, 2, 3 or 4 and when t is 0 then a direct bond is intended;

each Q is  ;

each X is nitrogen;

each Y is nitrogen;

each Z is –NH-, or –O-;

R^1 is $-C(O)NR^3R^4$, $-NHC(O)R^7$, $-C(O)-C_{1-6}alkanediylSR^7$, $-NR^8C(O)N(OH)R^7$, $-NR^8C(O)C_{1-6}alkanediylSR^7$, or $-NR^8C(O)C=N(OH)R^7$ wherein R^3 and R^4 are each independently selected from hydrogen, hydroxy, $C_{1-6}alkyl$, $hydroxyC_{1-6}alkyl$, $aminoC_{1-6}alkyl$ or aminoaryl;

R^7 is independently selected from hydrogen, $C_{1-6}alkyl$, or $C_{1-6}alkylcarbonyl$;

R^8 is independently selected from hydrogen or $C_{1-6}alkyl$;

R^2 is hydrogen, hydroxy, amino, $hydroxyC_{1-6}alkyl$, $C_{1-6}alkyl$, $C_{1-6}alkyloxy$, $arylC_{1-6}alkyl$, aminocarbonyl, hydroxycarbonyl, $aminoC_{1-6}alkyl$,

aminocarbonylC_{1-6}alkyl, hydroxycarbonylC_{1-6}alkyl, hydroxyaminocarbonyl, C_{1-6}alkyloxycarbonyl, C_{1-6}alkylaminoC_{1-6}alkyl or di(C_{1-6}alkyl)aminoC_{1-6}alkyl;

-L- is a bivalent radical selected from $-NR^9C(O)-$, $-NR^9SO_2-$ or $-NR^9CH_2-$ wherein R^9 is hydrogen, C_{1-6}alkyl, C_{3-10}cycloalkyl, hydroxyC_{1-6}alkyl, C_{1-6}alkyloxyC_{1-6}alkyl or di(C_{1-6}alkyl)aminoC_{1-6}alkyl;

(A) is a radical selected from


(a-1)


(a-20)


(a-21)


(a-28)


(a-29)

or


(a-48) ;

wherein each s is independently 0, 1, 2, 3, 4 or 5;

R^5 is selected from hydrogen or phenyl optionally substituted with one, two or three substituents independently selected from halo, amino, nitro, C_{1-6}alkyl, C_{1-6}alkyloxy, hydroxyC_{1-4}alkyl, trifluoromethyl, trifluoromethyloxy, hydroxyC_{1-4}alkyloxy, C_{1-4}alkylsulfonyl, C_{1-4}alkyloxyC_{1-4}alkyloxy, C_{1-4}alkyloxycarbonyl, aminoC_{1-4}alkyloxy, di(C_{1-4}alkyl)aminoC_{1-4}alkyloxy, di(C_{1-4}alkyl)amino, di(C_{1-4}alkyl)aminocarbonyl, di(C_{1-4}alkyl)aminoC_{1-4}alkyl, di(C_{1-4}alkyl)aminoC_{1-4}alkylaminoC_{1-4}alkyl, di(C_{1-4}alkyl)amino(C_{1-4}alkyl)amino, di(C_{1-4}alkyl)amino(C_{1-4}alkyl)aminoC_{1-4}alkyl, di(C_{1-4}alkyl)aminoC_{1-4}alkyl(C_{1-4}alkyl)amino, di(C_{1-4}alkyl)aminoC_{1-4}alkyl(C_{1-4}alkyl)aminoC_{1-4}alkyl,

aminosulfonylamino(C_{1-4}alkyl)amino,
aminosulfonylamino(C_{1-4}alkyl)aminoC_{1-4}alkyl,
di(C_{1-4}alkyl)aminosulfonylamino(C_{1-4}alkyl)amino,
di(C_{1-4}alkyl)aminosulfonylamino(C_{1-4}alkyl)aminoC_{1-6}alkyl, cyano,
(hydroxyC_{1-4}alkyl)(C_{1-4}alkyl)amino, (hydroxyC_{1-4}alkyl)(C_{1-4}alkyl)aminoC_{1-4}alkyl,
hydroxyC_{1-4}alkylaminoC_{1-4}alkyl, di(hydroxyC_{1-4}alkyl)aminoC_{1-4}alkyl, hydroxyC_{1-4}alkylamino, di(hydroxyC_{1-4}alkyl)amino, or
di(C_{1-4}alkyl)aminoC_{1-4}alkylamino;

R^6 is selected from hydrogen; halo; hydroxy; amino; nitro; trihaloC_{1-6}alkyl; trihaloC_{1-6}alkyloxy; C_{1-6}alkyl; C_{1-6}alkyl substituted with aryl and C_{3-10}cycloalkyl; C_{1-6}alkyloxy; C_{1-6}alkyloxyC_{1-6}alkyloxy; C_{1-6}alkylcarbonyl; C_{1-6}alkyloxycarbonyl; C_{1-6}alkylsulfonyl; cyanoC_{1-6}alkyl; hydroxyC_{1-6}alkyl; hydroxyC_{1-6}alkyloxy; hydroxyC_{1-6}alkylamino; aminoC_{1-6}alkyloxy; di(C_{1-6}alkyl)aminocarbonyl; di(hydroxyC_{1-6}alkyl)amino; (aryl)(C_{1-6}alkyl)amino; di(C_{1-6}alkyl)aminoC_{1-6}alkyloxy; di(C_{1-6}alkyl)aminoC_{1-6}alkylamino; di(C_{1-6}alkyl)aminoC_{1-6}alkylaminoC_{1-6}alkyl; arylsulfonyl; arylsulfonylamino; aryloxy; aryloxyC_{1-6}alkyl; arylC_{2-6}alkenediyl; di(C_{1-6}alkyl)amino; di(C_{1-6}alkyl)aminoC_{1-6}alkyl; di(C_{1-6}alkyl)amino(C_{1-6}alkyl)amino; di(C_{1-6}alkyl)amino(C_{1-6}alkyl)aminoC_{1-6}alkyl; di(C_{1-6}alkyl)aminoC_{1-6}alkyl(C_{1-6}alkyl)amino; di(C_{1-6}alkyl)aminoC_{1-6}alkyl(C_{1-6}alkyl)aminoC_{1-6}alkyl; aminosulfonylamino(C_{1-6}alkyl)amino; aminosulfonylamino(C_{1-6}alkyl)aminoC_{1-6}alkyl; di(C_{1-6}alkyl)aminosulfonylamino(C_{1-6}alkyl)amino; di(C_{1-6}alkyl)aminosulfonylamino(C_{1-6}alkyl)aminoC_{1-6}alkyl; cyano; (hydroxyC_{1-6}alkyl)(C_{1-6}alkyl)amino; (hydroxyC_{1-6}alkyl)(C_{1-6}alkyl)aminoC_{1-6}alkyl; hydroxyC_{1-6}alkylaminoC_{1-6}alkyl; di(hydroxyC_{1-6}alkyl)aminoC_{1-6}alkyl; phenyl; phenyl substituted with one, two or three substituents independently selected from halo, amino, nitro, C_{1-6}alkyl, C_{1-6}alkyloxy, hydroxyC_{1-4}alkyl, trifluoromethyl, trifluoromethyloxy, hydroxyC_{1-4}alkyloxy, C_{1-4}alkylsulfonyl, C_{1-4}alkyloxyC_{1-4}alkyloxy, C_{1-4}alkyloxycarbonyl, aminoC_{1-4}alkyloxy, di(C_{1-4}alkyl)aminoC_{1-4}alkyloxy, di(C_{1-4}alkyl)amino, di(C_{1-4}alkyl)aminocarbonyl, di(C_{1-4}alkyl)aminoC_{1-4}alkyl, di(C_{1-4}alkyl)aminoC_{1-4}alkylaminoC_{1-4}alkyl,

di(C_{1-4}alkyl)amino(C_{1-4}alkyl)amino, di(C_{1-4}alkyl)amino(C_{1-4}alkyl)aminoC_{1-4}alkyl, di(C_{1-4}alkyl)aminoC_{1-4}alkyl(C_{1-4}alkyl)amino, di(C_{1-4}alkyl)aminoC_{1-4}alkyl(C_{1-4}alkyl)aminoC_{1-4}alkyl, aminosulfonylamino(C_{1-4}alkyl)amino, aminosulfonylamino(C_{1-4}alkyl)aminoC_{1-4}alkyl, di(C_{1-4}alkyl)aminosulfonylamino(C_{1-4}alkyl)amino, di(C_{1-4}alkyl)aminosulfonylamino(C_{1-4}alkyl)aminoC_{1-6}alkyl, cyano, (hydroxyC_{1-4}alkyl)(C_{1-4}alkyl)amino, (hydroxyC_{1-4}alkyl)(C_{1-4}alkyl)aminoC_{1-4}alkyl, hydroxyC_{1-4}alkylaminoC_{1-4}alkyl, di(hydroxyC_{1-4}alkyl)aminoC_{1-4}alkyl, hydroxyC_{1-4}alkylamino, di(hydroxyC_{1-4}alkyl)amino, or di(C_{1-4}alkyl)aminoC_{1-4}alkylamino;

aryl in the above is phenyl, or phenyl substituted with one or more substituents each independently selected from halo, C_{1-6}alkyl, C_{1-6}alkyloxy, trifluoromethyl, cyano or hydroxycarbonyl.

29. (previously presented) A compound as claimed in claim 28 wherein

R^3 and R^4 are each independently selected from hydrogen, hydroxy, hydroxyC_{1-6}alkyl, aminoC_{1-6}alkyl or aminoaryl;

—(A) is a radical selected from (a-1), (a-20), (a-21), (a-28), or (a-29);

R^5 is selected from hydrogen; phenyl; or phenyl substituted with one, two or three substituents independently selected from halo, amino, C_{1-6}alkyl, C_{1-6}alkyloxy, hydroxyC_{1-4}alkyl, trifluoromethyl, trifluoromethyloxy, hydroxyC_{1-4}alkyloxy, C_{1-4}alkyloxyC_{1-4}alkyloxy, aminoC_{1-4}alkyloxy, di(C_{1-4}alkyl)aminoC_{1-4}alkyloxy, di(C_{1-4}alkyl)amino, di(C_{1-4}alkyl)aminoC_{1-4}alkyl, di(C_{1-4}alkyl)aminoC_{1-4}alkyl(C_{1-4}alkyl)aminoC_{1-4}alkyl, hydroxyC_{1-4}alkylamino, di(hydroxyC_{1-4}alkyl)amino, or di(C_{1-4}alkyl)aminoC_{1-4}alkylamino.

R^6 is selected from hydrogen; halo; hydroxy; amino; nitro; trihaloC_{1-6}alkyl; trihaloC_{1-6}alkyloxy; C_{1-6}alkyl; C_{1-6}alkyloxy; C_{1-6}alkyloxyC_{1-6}alkyloxy; C_{1-6}alkylcarbonyl; C_{1-6}alkylsulfonyl; cyanoC_{1-6}alkyl; hydroxyC_{1-6}alkyl; hydroxyC_{1-6}alkyloxy; hydroxyC_{1-6}alkylamino;

aminoC1-6alkyloxy; di(C1-6alkyl)aminocarbonyl; di(hydroxyC1-6alkyl)amino; arylC1-6alkyl)amino; di(C1-6alkyl)aminoC1-6alkyloxy; di(C1-6alkyl)aminoC1-6alkylamino; arylsulfonyl; arylsulfonylamino; aryloxy; arylC2-6alkenediyl; di(C1-6alkyl)amino; di(C1-6alkyl)aminoC1-6alkyl; di(C1-6alkyl)aminoC1-6alkyl(C1-6alkyl)aminoC1-6alkyl; cyano; thiophenyl; thiophenyl substituted with di(C1-6alkyl)aminoC1-6alkyl(C1-6alkyl)aminoC1-6alkyl, di(C1-6alkyl)aminoC1-6alkyl, or di(hydroxyC1-6alkyl)aminoC1-6alkyl; (hydroxyC1-6alkyl)(C1-6alkyl)amino; (hydroxyC1-6alkyl)(C1-6alkyl)aminoC1-6alkyl; or phenyl optionally substituted with one, two or three substituents independently selected from halo, amino, C1-6alkyl, C1-6alkyloxy, hydroxyC1-4alkyl, trifluoromethyl, trifluoromethyloxy, hydroxyC1-4alkyloxy, C1-4alkyloxyC1-4alkyloxy, aminoC1-4alkyloxy, di(C1-4alkyl)aminoC1-4alkyloxy, di(C1-4alkyl)amino, di(C1-4alkyl)aminoC1-4alkyl, di(C1-4alkyl)aminoC1-4alkyl(C1-4alkyl)aminoC1-4alkyl, (hydroxyC1-4alkyl)(C1-4alkyl)amino, (hydroxyC1-4alkyl)(C1-4alkyl)aminoC1-4alkyl, hydroxyC1-4alkylamino, di(hydroxyC1-4alkyl)amino, or di(C1-4alkyl)aminoC1-4alkylamino.

30. (previously presented) A compound as claimed in claim 28 wherein t is 0; R^1 is $-C(O)NR^3R^4$, $-C(O)-C_{1-6}alkanediylSR^7$, $-NR^8C(O)N(OH)R^7$, $-NR^8C(O)C_{1-6}alkanediylSR^7$ or $-NR^8C(O)C=N(OH)R^7$ wherein R^3 and R^4 are each independently selected from hydrogen, hydroxy, hydroxyC1-6alkyl or aminoC1-6alkyl; R^2 is hydrogen, hydroxy, amino, hydroxyC1-6alkyl, C1-6alkyl, C1-6alkyloxy, arylC1-6alkyl, aminocarbonyl, aminoC1-6alkyl, C1-6alkylaminoC1-6alkyl or di(C1-6alkyl)aminoC1-6alkyl; -L- is a bivalent radical selected from $-NHC(O)-$ or $-NHSO_2-$; —(A) is a radical selected from (a-1), (a-20), (a-21), (a-28), or (a-48); each s is independently 0, 1, 2, 3 or 4; R^5 is hydrogen, phenyl or phenyl substituted with one or two substituents independently selected from halo, C1-6alkyl, C1-6alkyloxy or trifluoromethyl; and R^6 is hydrogen, phenyl; or phenyl substituted with one or two substituents independently selected from halo, C1-6alkyl, C1-6alkyloxy or trifluoromethyl.

31. (previously presented) A compound as claimed in claim 28 wherein t is 0 or 1; each Q is  ; each X is nitrogen; R^1 is –C(O)NH(OH); R^2 is hydrogen, hydroxy, C_{1-6}alkyl, or arylC_{1-6}alkyl; -L- is a bivalent radical selected from –NHC(O)- or -$NHSO_2$-;  is a radical selected from (a-1) or (a-20); each s is independently 0 or 1; and each R^5 is independently selected from hydrogen or phenyl.

32. (previously presented) A compound as claimed in claim 28 wherein t is 1; each Q is  ; each X is nitrogen; each Y is nitrogen; each Z is –O-; R^1 is –C(O)NH(OH); R^2 is hydrogen; -L- is a bivalent radical selected from –NHC(O)- or -$NHSO_2$-;  is a radical selected from (a-1) or (a-20); each s is independently 0 or 1; and each R^5 is independently selected from hydrogen or phenyl.

33. (currently amended) A compound according to claim 28 selected from the following compounds ~~No 4, No 10, No 8, No 6, No 1, No 12 and No 14~~ :

 ~~Co. No. 4~~	 ~~Co. No. 10~~
 ~~Co. No. 8~~	 ~~Co. No. 6~~



and

~~Co. No. 1~~



~~Co. No. 12~~



~~Co. No. 14.~~

34. (previously presented) A pharmaceutical composition comprising pharmaceutically acceptable carriers and as an active ingredient a therapeutically effective amount of a compound as claimed in claim 28.

35. (currently amended) A pharmaceutical composition ~~combination~~ of anti-cancer agents and a compound of claim 28.

36. (previously presented) A pharmaceutical composition comprising pharmaceutically acceptable carriers and as an active ingredient a therapeutically effective amount of a compound as claimed in claim 33.

37. (currently amended) A pharmaceutical composition ~~combination~~ of anti-cancer agents and a compound of claim 33.